

Materiais

Projeto: D:\Projetos\Projeto_Coité_do_Noia\Desenhos\Seções_Coité.dwg

Alinhamento: EIXO_HOR01
Grupo de Seções: SEÇÕES - EIXO01
Estaca Inicial: 0+0.000
Estaca Final: 146+18.894

	Tipo	Área m²	Volume m³	Acumulado m³
		m²	m³	m³
Estaca: 0+0.000				
	Revestimento	0.64	0.00	0.00
	BASE	1.93	0.00	0.00
	SUB-BASE	2.57	0.00	0.00
Estaca: 1+0.000				
	Revestimento	0.33	9.69	9.69
	BASE	0.97	29.06	29.06
	SUB-BASE	1.30	38.74	38.74
Estaca: 2+0.000				
	Revestimento	0.32	6.50	16.19
	BASE	0.98	19.50	48.56
	SUB-BASE	1.30	26.00	64.74
Estaca: 3+0.000				
	Revestimento	0.33	6.50	22.69
	BASE	0.97	19.50	68.06
	SUB-BASE	1.30	26.00	90.74
Estaca: 4+0.000				
	Revestimento	0.32	6.50	29.19
	BASE	0.97	19.50	87.56
	SUB-BASE	1.30	26.00	116.74
Estaca: 5+0.000				
	Revestimento	0.33	6.50	35.69
	BASE	0.97	19.50	107.06
	SUB-BASE	1.30	26.00	142.74
Estaca: 6+0.000				
	Revestimento	0.32	6.50	42.19
	BASE	0.98	19.50	126.56
	SUB-BASE	1.30	26.00	168.74
Estaca: 7+0.000				
	Revestimento	0.32	6.50	48.69
	BASE	0.98	19.50	146.06
	SUB-BASE	1.30	26.00	194.74
Estaca: 8+0.000				

	Revestimento	0.32	6.50	55.19
	BASE	0.97	19.50	165.56
	SUB-BASE	1.30	26.00	220.74
Estaca: 9+0.000				
	Revestimento	0.32	6.50	61.69
	BASE	0.97	19.50	185.06
	SUB-BASE	1.30	26.00	246.74
Estaca: 10+0.000				
	Revestimento	0.33	6.50	68.19
	BASE	0.98	19.50	204.56
	SUB-BASE	1.30	26.00	272.74
Estaca: 11+0.000				
	Revestimento	0.32	6.50	74.69
	BASE	0.98	19.50	224.06
	SUB-BASE	1.30	26.00	298.74
Estaca: 12+0.000				
	Revestimento	0.33	6.50	81.19
	BASE	0.97	19.50	243.56
	SUB-BASE	1.30	26.00	324.74
Estaca: 13+0.000				
	Revestimento	0.33	6.50	87.69
	BASE	0.97	19.50	263.06
	SUB-BASE	1.30	26.00	350.74
Estaca: 14+0.000				
	Revestimento	0.33	6.50	94.19
	BASE	0.97	19.50	282.56
	SUB-BASE	1.30	26.00	376.74
Estaca: 15+0.000				
	Revestimento	0.32	6.50	100.69
	BASE	0.98	19.50	302.06
	SUB-BASE	1.30	26.00	402.74
Estaca: 16+0.000				
	Revestimento	0.33	6.50	107.19
	BASE	0.97	19.50	321.56
	SUB-BASE	1.30	26.00	428.74
Estaca: 17+0.000				
	Revestimento	0.32	6.50	113.69
	BASE	0.98	19.50	341.06
	SUB-BASE	1.30	26.00	454.74
Estaca: 18+0.000				
	Revestimento	0.33	6.50	120.19
	BASE	0.97	19.50	360.56
	SUB-BASE	1.30	26.00	480.74

Estaca: 19+0.000				
	Revestimento	0.33	6.50	126.69
	BASE	0.97	19.50	380.06
	SUB-BASE	1.30	26.00	506.74
Estaca: 20+0.000				
	Revestimento	0.33	6.50	133.19
	BASE	0.97	19.50	399.56
	SUB-BASE	1.30	26.00	532.74
Estaca: 21+0.000				
	Revestimento	0.33	6.50	139.69
	BASE	0.97	19.50	419.06
	SUB-BASE	1.30	26.00	558.74
Estaca: 22+0.000				
	Revestimento	0.33	6.50	146.19
	BASE	0.97	19.50	438.56
	SUB-BASE	1.30	26.00	584.74
Estaca: 23+0.000				
	Revestimento	0.33	6.50	152.69
	BASE	0.97	19.50	458.06
	SUB-BASE	1.30	26.00	610.74
Estaca: 24+0.000				
	Revestimento	0.32	6.50	159.19
	BASE	0.98	19.50	477.56
	SUB-BASE	1.30	26.00	636.74
Estaca: 25+0.000				
	Revestimento	0.32	6.50	165.69
	BASE	0.98	19.50	497.06
	SUB-BASE	1.30	26.00	662.74
Estaca: 26+0.000				
	Revestimento	0.32	6.50	172.19
	BASE	0.97	19.50	516.56
	SUB-BASE	1.30	26.00	688.74
Estaca: 27+0.000				
	Revestimento	0.32	6.50	178.69
	BASE	0.98	19.50	536.06
	SUB-BASE	1.30	26.00	714.74
Estaca: 28+0.000				
	Revestimento	0.33	6.50	185.19
	BASE	0.97	19.50	555.56
	SUB-BASE	1.30	26.00	740.74
Estaca: 29+0.000				
	Revestimento	0.33	6.50	191.69
	BASE	0.97	19.50	575.06

	SUB-BASE	1.30	26.00	766.74
Estaca: 30+0.000				
	Revestimento	0.33	6.50	198.19
	BASE	0.97	19.50	594.56
	SUB-BASE	1.30	26.00	792.74
Estaca: 31+0.000				
	Revestimento	0.33	6.50	204.69
	BASE	0.97	19.50	614.06
	SUB-BASE	1.30	26.00	818.74
Estaca: 32+0.000				
	Revestimento	0.32	6.50	211.19
	BASE	0.97	19.50	633.56
	SUB-BASE	1.30	26.00	844.74
Estaca: 33+0.000				
	Revestimento	0.33	6.50	217.69
	BASE	0.97	19.50	653.06
	SUB-BASE	1.30	26.00	870.74
Estaca: 34+0.000				
	Revestimento	0.32	6.50	224.19
	BASE	0.97	19.50	672.56
	SUB-BASE	1.30	26.00	896.74
Estaca: 35+0.000				
	Revestimento	0.32	6.50	230.69
	BASE	0.98	19.50	692.06
	SUB-BASE	1.30	26.00	922.74
Estaca: 36+0.000				
	Revestimento	0.33	6.50	237.19
	BASE	0.97	19.50	711.56
	SUB-BASE	1.30	26.00	948.74
Estaca: 37+0.000				
	Revestimento	0.33	6.50	243.69
	BASE	0.97	19.50	731.06
	SUB-BASE	1.30	26.00	974.74
Estaca: 38+0.000				
	Revestimento	0.33	6.50	250.19
	BASE	0.97	19.50	750.56
	SUB-BASE	1.30	26.00	1000.74
Estaca: 39+0.000				
	Revestimento	0.32	6.50	256.69
	BASE	0.97	19.50	770.06
	SUB-BASE	1.30	26.00	1026.74
Estaca: 40+0.000				
	Revestimento	0.32	6.50	263.19

	BASE	0.97	19.50	789.56
	SUB-BASE	1.30	26.00	1052.74
Estaca: 41+0.000				
	Revestimento	0.33	6.50	269.69
	BASE	0.97	19.50	809.06
	SUB-BASE	1.30	26.00	1078.74
Estaca: 42+0.000				
	Revestimento	0.33	6.50	276.19
	BASE	0.97	19.50	828.56
	SUB-BASE	1.30	26.00	1104.74
Estaca: 43+0.000				
	Revestimento	0.33	6.50	282.69
	BASE	0.97	19.50	848.06
	SUB-BASE	1.30	26.00	1130.74
Estaca: 44+0.000				
	Revestimento	0.33	6.50	289.19
	BASE	0.97	19.50	867.56
	SUB-BASE	1.30	26.00	1156.74
Estaca: 45+0.000				
	Revestimento	0.33	6.50	295.69
	BASE	0.98	19.50	887.06
	SUB-BASE	1.30	26.00	1182.74
Estaca: 46+0.000				
	Revestimento	0.32	6.50	302.19
	BASE	0.98	19.50	906.56
	SUB-BASE	1.30	26.00	1208.74
Estaca: 47+0.000				
	Revestimento	0.33	6.50	308.69
	BASE	0.98	19.50	926.06
	SUB-BASE	1.30	26.00	1234.74
Estaca: 48+0.000				
	Revestimento	0.32	6.50	315.19
	BASE	0.98	19.50	945.56
	SUB-BASE	1.30	26.00	1260.74
Estaca: 49+0.000				
	Revestimento	0.33	6.50	321.69
	BASE	0.98	19.50	965.06
	SUB-BASE	1.30	26.00	1286.74
Estaca: 50+0.000				
	Revestimento	0.32	6.50	328.19
	BASE	0.98	19.50	984.56
	SUB-BASE	1.30	26.00	1312.74
Estaca: 51+0.000				

	Revestimento	0.32	6.50	334.69
	BASE	0.98	19.50	1004.06
	SUB-BASE	1.30	26.00	1338.74
Estaca: 52+0.000				
	Revestimento	0.32	6.50	341.19
	BASE	0.98	19.50	1023.56
	SUB-BASE	1.30	26.00	1364.74
Estaca: 53+0.000				
	Revestimento	0.32	6.50	347.69
	BASE	0.97	19.50	1043.06
	SUB-BASE	1.30	26.00	1390.74
Estaca: 54+0.000				
	Revestimento	0.32	6.50	354.19
	BASE	0.97	19.50	1062.56
	SUB-BASE	1.30	26.00	1416.74
Estaca: 55+0.000				
	Revestimento	0.32	6.50	360.69
	BASE	0.98	19.50	1082.06
	SUB-BASE	1.30	26.00	1442.74
Estaca: 56+0.000				
	Revestimento	0.32	6.50	367.19
	BASE	0.98	19.50	1101.56
	SUB-BASE	1.30	26.00	1468.74
Estaca: 57+0.000				
	Revestimento	0.32	6.50	373.69
	BASE	0.97	19.50	1121.06
	SUB-BASE	1.30	26.00	1494.74
Estaca: 58+0.000				
	Revestimento	0.33	6.50	380.19
	BASE	0.97	19.50	1140.56
	SUB-BASE	1.30	26.00	1520.74
Estaca: 59+0.000				
	Revestimento	0.32	6.50	386.69
	BASE	0.98	19.50	1160.06
	SUB-BASE	1.30	26.00	1546.74
Estaca: 60+0.000				
	Revestimento	0.33	6.50	393.19
	BASE	0.97	19.50	1179.56
	SUB-BASE	1.30	26.00	1572.74
Estaca: 61+0.000				
	Revestimento	0.32	6.50	399.69
	BASE	0.98	19.50	1199.06
	SUB-BASE	1.30	26.00	1598.74

Estaca: 62+0.000				
	Revestimento	0.32	6.50	406.19
	BASE	0.97	19.50	1218.56
	SUB-BASE	1.30	26.00	1624.74
Estaca: 63+0.000				
	Revestimento	0.33	6.50	412.69
	BASE	0.97	19.50	1238.06
	SUB-BASE	1.30	26.00	1650.74
Estaca: 64+0.000				
	Revestimento	0.33	6.50	419.19
	BASE	0.97	19.50	1257.56
	SUB-BASE	1.30	26.00	1676.74
Estaca: 65+0.000				
	Revestimento	0.33	6.50	425.69
	BASE	0.97	19.50	1277.06
	SUB-BASE	1.30	26.00	1702.74
Estaca: 66+0.000				
	Revestimento	0.33	6.50	432.19
	BASE	0.97	19.50	1296.56
	SUB-BASE	1.30	26.00	1728.74
Estaca: 67+0.000				
	Revestimento	0.32	6.50	438.69
	BASE	0.97	19.50	1316.06
	SUB-BASE	1.30	26.00	1754.74
Estaca: 68+0.000				
	Revestimento	0.32	6.50	445.19
	BASE	0.98	19.50	1335.56
	SUB-BASE	1.30	26.00	1780.74
Estaca: 69+0.000				
	Revestimento	0.32	6.50	451.69
	BASE	0.97	19.50	1355.06
	SUB-BASE	1.30	26.00	1806.74
Estaca: 70+0.000				
	Revestimento	0.32	6.50	458.19
	BASE	0.98	19.50	1374.56
	SUB-BASE	1.30	26.00	1832.74
Estaca: 71+0.000				
	Revestimento	0.32	6.50	464.69
	BASE	0.98	19.50	1394.06
	SUB-BASE	1.30	26.00	1858.74
Estaca: 72+0.000				
	Revestimento	0.32	6.50	471.19
	BASE	0.98	19.50	1413.56

	SUB-BASE	1.30	26.00	1884.74
Estaca: 73+0.000				
	Revestimento	0.33	6.50	477.69
	BASE	0.97	19.50	1433.06
	SUB-BASE	1.30	26.00	1910.74
Estaca: 74+0.000				
	Revestimento	0.32	6.50	484.19
	BASE	0.98	19.50	1452.56
	SUB-BASE	1.30	26.00	1936.74
Estaca: 75+0.000				
	Revestimento	0.32	6.50	490.69
	BASE	0.98	19.50	1472.06
	SUB-BASE	1.30	26.00	1962.74
Estaca: 76+0.000				
	Revestimento	0.32	6.50	497.19
	BASE	0.98	19.50	1491.56
	SUB-BASE	1.30	26.00	1988.74
Estaca: 77+0.000				
	Revestimento	0.32	6.50	503.69
	BASE	0.98	19.50	1511.06
	SUB-BASE	1.30	26.00	2014.74
Estaca: 78+0.000				
	Revestimento	0.32	6.50	510.19
	BASE	0.98	19.50	1530.56
	SUB-BASE	1.30	26.00	2040.74
Estaca: 79+0.000				
	Revestimento	0.32	6.50	516.69
	BASE	0.98	19.50	1550.06
	SUB-BASE	1.30	26.00	2066.74
Estaca: 80+0.000				
	Revestimento	0.32	6.50	523.19
	BASE	0.98	19.50	1569.56
	SUB-BASE	1.30	26.00	2092.74
Estaca: 81+0.000				
	Revestimento	0.32	6.50	529.69
	BASE	0.98	19.50	1589.06
	SUB-BASE	1.30	26.00	2118.74
Estaca: 82+0.000				
	Revestimento	0.32	6.50	536.19
	BASE	0.98	19.50	1608.56
	SUB-BASE	1.30	26.00	2144.74
Estaca: 83+0.000				
	Revestimento	0.32	6.50	542.69

	BASE	0.97	19.50	1628.06
	SUB-BASE	1.30	26.00	2170.74
Estaca: 84+0.000				
	Revestimento	0.32	6.50	549.19
	BASE	0.98	19.50	1647.56
	SUB-BASE	1.30	26.00	2196.74
Estaca: 85+0.000				
	Revestimento	0.32	6.50	555.69
	BASE	0.98	19.50	1667.06
	SUB-BASE	1.30	26.00	2222.74
Estaca: 86+0.000				
	Revestimento	0.32	6.50	562.19
	BASE	0.98	19.50	1686.56
	SUB-BASE	1.30	26.00	2248.74
Estaca: 87+0.000				
	Revestimento	0.32	6.50	568.69
	BASE	0.98	19.50	1706.06
	SUB-BASE	1.30	26.00	2274.74
Estaca: 88+0.000				
	Revestimento	0.32	6.50	575.19
	BASE	0.98	19.50	1725.56
	SUB-BASE	1.30	26.00	2300.74
Estaca: 89+0.000				
	Revestimento	0.33	6.50	581.69
	BASE	0.97	19.50	1745.06
	SUB-BASE	1.30	26.00	2326.74
Estaca: 90+0.000				
	Revestimento	0.32	6.50	588.19
	BASE	0.97	19.50	1764.56
	SUB-BASE	1.30	26.00	2352.74
Estaca: 91+0.000				
	Revestimento	0.32	6.50	594.69
	BASE	0.98	19.50	1784.06
	SUB-BASE	1.30	26.00	2378.74
Estaca: 92+0.000				
	Revestimento	0.32	6.50	601.19
	BASE	0.98	19.50	1803.56
	SUB-BASE	1.30	26.00	2404.74
Estaca: 93+0.000				
	Revestimento	0.32	6.50	607.69
	BASE	0.98	19.50	1823.06
	SUB-BASE	1.30	26.00	2430.74
Estaca: 94+0.000				

	Revestimento	0.32	6.50	614.19
	BASE	0.98	19.50	1842.56
	SUB-BASE	1.30	26.00	2456.74
Estaca: 95+0.000				
	Revestimento	0.32	6.50	620.69
	BASE	0.97	19.50	1862.06
	SUB-BASE	1.30	26.00	2482.74
Estaca: 96+0.000				
	Revestimento	0.32	6.50	627.19
	BASE	0.98	19.50	1881.56
	SUB-BASE	1.30	26.00	2508.74
Estaca: 97+0.000				
	Revestimento	0.33	6.50	633.69
	BASE	0.97	19.50	1901.06
	SUB-BASE	1.30	26.00	2534.74
Estaca: 98+0.000				
	Revestimento	0.33	6.50	640.19
	BASE	0.97	19.50	1920.56
	SUB-BASE	1.30	26.00	2560.74
Estaca: 99+0.000				
	Revestimento	0.32	6.50	646.69
	BASE	0.98	19.50	1940.06
	SUB-BASE	1.30	26.00	2586.74
Estaca: 100+0.000				
	Revestimento	0.32	6.50	653.19
	BASE	0.98	19.50	1959.56
	SUB-BASE	1.30	26.00	2612.74
Estaca: 101+0.000				
	Revestimento	0.33	6.50	659.69
	BASE	0.97	19.50	1979.06
	SUB-BASE	1.30	26.00	2638.74
Estaca: 102+0.000				
	Revestimento	0.32	6.50	666.19
	BASE	0.97	19.50	1998.56
	SUB-BASE	1.30	26.00	2664.74
Estaca: 103+0.000				
	Revestimento	0.32	6.50	672.69
	BASE	0.97	19.50	2018.06
	SUB-BASE	1.30	26.00	2690.74
Estaca: 104+0.000				
	Revestimento	0.32	6.50	679.19
	BASE	0.97	19.50	2037.56
	SUB-BASE	1.30	26.00	2716.74

Estaca: 105+0.000				
	Revestimento	0.33	6.50	685.69
	BASE	0.97	19.50	2057.06
	SUB-BASE	1.30	26.00	2742.74
Estaca: 106+0.000				
	Revestimento	0.32	6.50	692.19
	BASE	0.97	19.50	2076.56
	SUB-BASE	1.30	26.00	2768.74
Estaca: 107+0.000				
	Revestimento	0.32	6.50	698.69
	BASE	0.97	19.50	2096.06
	SUB-BASE	1.30	26.00	2794.74
Estaca: 108+0.000				
	Revestimento	0.33	6.50	705.19
	BASE	0.97	19.50	2115.56
	SUB-BASE	1.30	26.00	2820.74
Estaca: 109+0.000				
	Revestimento	0.33	6.50	711.69
	BASE	0.97	19.50	2135.06
	SUB-BASE	1.30	26.00	2846.74
Estaca: 110+0.000				
	Revestimento	0.33	6.50	718.19
	BASE	0.97	19.50	2154.56
	SUB-BASE	1.30	26.00	2872.74
Estaca: 111+0.000				
	Revestimento	0.32	6.50	724.69
	BASE	0.97	19.50	2174.06
	SUB-BASE	1.30	26.00	2898.74
Estaca: 112+0.000				
	Revestimento	0.32	6.50	731.19
	BASE	0.98	19.50	2193.56
	SUB-BASE	1.30	26.00	2924.74
Estaca: 113+0.000				
	Revestimento	0.32	6.50	737.69
	BASE	0.98	19.50	2213.06
	SUB-BASE	1.30	26.00	2950.74
Estaca: 114+0.000				
	Revestimento	0.33	6.50	744.19
	BASE	0.97	19.50	2232.56
	SUB-BASE	1.30	26.00	2976.74
Estaca: 115+0.000				
	Revestimento	0.33	6.50	750.69
	BASE	0.97	19.50	2252.06

	SUB-BASE	1.30	26.00	3002.74
Estaca: 116+0.000				
	Revestimento	0.33	6.50	757.19
	BASE	0.97	19.50	2271.56
	SUB-BASE	1.30	26.00	3028.74
Estaca: 117+0.000				
	Revestimento	0.33	6.50	763.69
	BASE	0.97	19.50	2291.06
	SUB-BASE	1.30	26.00	3054.74
Estaca: 118+0.000				
	Revestimento	0.32	6.50	770.19
	BASE	0.98	19.50	2310.56
	SUB-BASE	1.30	26.00	3080.74
Estaca: 119+0.000				
	Revestimento	0.33	6.50	776.69
	BASE	0.97	19.50	2330.06
	SUB-BASE	1.30	26.00	3106.74
Estaca: 120+0.000				
	Revestimento	0.32	6.50	783.19
	BASE	0.98	19.50	2349.56
	SUB-BASE	1.30	26.00	3132.74
Estaca: 121+0.000				
	Revestimento	0.32	6.50	789.69
	BASE	0.98	19.50	2369.06
	SUB-BASE	1.30	26.00	3158.74
Estaca: 122+0.000				
	Revestimento	0.32	6.50	796.19
	BASE	0.98	19.50	2388.56
	SUB-BASE	1.30	26.00	3184.74
Estaca: 123+0.000				
	Revestimento	0.32	6.50	802.69
	BASE	0.98	19.50	2408.06
	SUB-BASE	1.30	26.00	3210.74
Estaca: 124+0.000				
	Revestimento	0.32	6.50	809.19
	BASE	0.98	19.50	2427.56
	SUB-BASE	1.30	26.00	3236.74
Estaca: 125+0.000				
	Revestimento	0.32	6.50	815.69
	BASE	0.98	19.50	2447.06
	SUB-BASE	1.30	26.00	3262.74
Estaca: 126+0.000				
	Revestimento	0.33	6.50	822.19

	BASE	0.97	19.50	2466.56
	SUB-BASE	1.30	26.00	3288.74
Estaca: 127+0.000				
	Revestimento	0.33	6.50	828.69
	BASE	0.97	19.50	2486.06
	SUB-BASE	1.30	26.00	3314.74
Estaca: 128+0.000				
	Revestimento	0.32	6.50	835.19
	BASE	0.98	19.50	2505.56
	SUB-BASE	1.30	26.00	3340.74
Estaca: 129+0.000				
	Revestimento	0.33	6.50	841.69
	BASE	0.98	19.50	2525.06
	SUB-BASE	1.30	26.00	3366.74
Estaca: 130+0.000				
	Revestimento	0.33	6.50	848.19
	BASE	0.97	19.50	2544.56
	SUB-BASE	1.30	26.00	3392.74
Estaca: 131+0.000				
	Revestimento	0.33	6.50	854.69
	BASE	0.98	19.50	2564.06
	SUB-BASE	1.30	26.00	3418.74
Estaca: 132+0.000				
	Revestimento	0.63	9.70	864.38
	BASE	1.90	29.09	2593.15
	SUB-BASE	2.53	38.79	3457.53
Estaca: 133+0.000				
	Revestimento	0.47	11.17	875.55
	BASE	1.40	33.50	2626.65
	SUB-BASE	1.87	44.66	3502.19
Estaca: 134+0.000				
	Revestimento	0.32	7.97	883.52
	BASE	0.98	23.91	2650.56
	SUB-BASE	1.30	31.88	3534.07
Estaca: 135+0.000				
	Revestimento	0.32	6.50	890.02
	BASE	0.98	19.50	2670.06
	SUB-BASE	1.30	26.00	3560.07
Estaca: 136+0.000				
	Revestimento	0.33	6.50	896.52
	BASE	0.97	19.50	2689.56
	SUB-BASE	1.30	26.00	3586.07
Estaca: 137+0.000				

	Revestimento	0.33	6.50	903.02
	BASE	0.97	19.50	2709.06
	SUB-BASE	1.30	26.00	3612.07
Estaca: 138+0.000				
	Revestimento	0.32	6.50	909.52
	BASE	0.98	19.50	2728.56
	SUB-BASE	1.30	26.00	3638.07
Estaca: 139+0.000				
	Revestimento	0.32	6.50	916.02
	BASE	0.97	19.50	2748.06
	SUB-BASE	1.30	26.00	3664.07
Estaca: 140+0.000				
	Revestimento	0.32	6.50	922.52
	BASE	0.98	19.50	2767.56
	SUB-BASE	1.30	26.00	3690.07
Estaca: 141+0.000				
	Revestimento	0.33	6.50	929.02
	BASE	0.97	19.50	2787.06
	SUB-BASE	1.30	26.00	3716.07
Estaca: 142+0.000				
	Revestimento	0.33	6.50	935.52
	BASE	0.97	19.50	2806.56
	SUB-BASE	1.30	26.00	3742.07
Estaca: 143+0.000				
	Revestimento	0.32	6.50	942.02
	BASE	0.97	19.50	2826.06
	SUB-BASE	1.30	26.00	3768.07
Estaca: 144+0.000				
	Revestimento	0.32	6.50	948.52
	BASE	0.97	19.50	2845.56
	SUB-BASE	1.30	26.00	3794.07
Estaca: 145+0.000				
	Revestimento	0.32	6.50	955.02
	BASE	0.98	19.50	2865.06
	SUB-BASE	1.30	26.00	3820.07
Estaca: 146+0.000				
	Revestimento	0.32	6.50	961.52
	BASE	0.98	19.50	2884.56
	SUB-BASE	1.30	26.00	3846.07
Estaca: 146+18.894				
	Revestimento	0.32	6.14	967.66
	BASE	0.98	18.42	2902.98
	SUB-BASE	1.30	24.56	3870.63